

2011

Kedzierski, M., Rodríguez-Tovar, F.J., & Uchman, A. (2011). Vertical displacement & taphonomic filtering of nannofossils by bioturbation in the Cretaceous-Palaeogene boundary section at Caravaca, SE Spain. *Lethaia* 44, 321-328.

Martín-Peinado, F.J., & Rodríguez-Tovar, F.J. (2011). Assessment of trace element concentration related to the K-Pg event by the use of PXRF. *Mineralogical Magazine* 75 (3), 1417-1417.

Molina, E., Alegret, L., Apellaniz, E., Rodríguez-Tovar, F.J. et al., (2011). The Global Stratotype Section & Point (GSSP) for the base of the Lutetian Stage at the Gorrondatxe section, Spain. *Episodes* 34 (2), 86-108.

Najarro, M., Rosales, I., Moreno-Bedmar, J.A., Gea, Ginés A. de, Barrón, E., Company, M. & Delanoy, G. (2011). High-resolution chemo- and biostratigraphic records of the Early Aptian oceanic anoxic event in Cantabria (N Spain), Palaeoceanographic and palaeoclimatic implications. *Palaeogeography, Palaeoclimatology, Palaeoecology* 299, 137-158.

Pardo-Igúzquiza, E. & Rodríguez-Tovar, F.J. (2011). Implemented Lomb-Scargle periodogram, a valuable tool for improving cyclostratigraphic research on unevenly sampled deep-sea stratigraphic sequences. *Geo-Marine Letters* 31, 537-545.

Pinheiro, L.M., Olóriz, F., Comas, M., Azevedo, L. & Román-Alpiste, M.-J. (2011). *I.3.2 mak-1m Deep-Towed Sidescan-Sonar and Sub-Bottom Profiler*. In, M. Comas, L.M. Pinheiro, M. Ivanov and Shipboard Party of the leg 1 (2008) I. Revisiting the Alboran Sea (Leg 1), Look into mud volcanoes, carbonate mounds and climate changes, TTR-17 On Board Mém.

Reboulet, S., Rawson, P.F., Moreno-Bedmar, J.A., Aguirre-Urreta, M.B., Barragán, R., Bogomolov, Y., Company, M., González-Arreola, C., Idakieva Stoyanova, V., Lukeneder, A., Matrimon, B., Mitta, V., Randrianaly, H., Vašíček, Z., Baraboshkin, E.J., Bert, D., Bersac, S., Bogdanova, T. N., Bulot, L.G., Latil, J.L., Mikhailova, I.A., Ropolo, P. & Szives, O. (2011). Report on the 4th International Meeting of the IUGS Lower Cretaceous Ammonite Working Group, the "Kilian Group" (Dijon, France, 30th August 2010). *Cretaceous Research* 32, 786-793.

Reolid, M., El Kadiri, K., Abad, I., Olóriz, F. & Jiménez-Millán, J. (2011). Jurassic microbial communities in hydrothermal manganese crust from the Rifian Calcareous Chain, northern Morocco. *Sedimentary Geology* 233, 159-172.

Rodrigo-Gámiz, M., Martínez-Ruiz, F., Rodríguez-Tovar, F.J., Jiménez-Espejo, F. & Pardo-Igúzquiza, E. (2011). High frequency climate cycles in the Westernmost Mediterranean during the last 20,000 yrs. *Mineralogical Magazine* 75, (3), 1739-1739.

Rodríguez-Tovar, F.J. & Martín-Peinado, F.J. (2011). Colonization of contaminated sediments, Implications in recovery of mass extinction events. *Mineralogical Magazine* 75 (3), 1742-1742.

Rodríguez-Tovar, F.J. & Uchman, A. (2011). Ichnological data as a useful tool for deep-sea environmental characterization, a brief overview & an application to recognition of small-scale oxygenation changes during the Cenomanian-Turonian anoxic event. *Geo-Marine Letters* 31, 525-536.

Rodríguez-Tovar, F.J., Löwemark, L. & Pardo-Igúzquiza, E. (2011). Zoophycoscyclicity during the last 425 ka in the northeastern South China Sea,

evidence for monsoon fluctuation at the Milankovitch scale. *Palaeogeography, Palaeoclimatology, Palaeoecology* 305, 256-263.

Rodríguez-Tovar, F.J., Uchman, A., Alegret, L. & Molina, E. (2011). Impact of the Paleocene-Eocene Thermal Maximum on the macrobenthic community, ichnological record from the Zumaia section, northern Spain. *Marine Geology* 282, 178-187.

Rodríguez-Tovar, F.J., Uchman, A., Orue-Etxebarria, X., Apellaniz, E., & Baceta, J.I. (2011). Ichnological analysis of the Bidart & Sopelana Cretaceous/Paleogene (K/Pg) boundary sections (Basque Basin, W Pyrenees), Refining ecosedimentary environment. *Sedimentary Geology* 234, 42-55.

Szives, O. & Company, M. (2011). Revision of some problematic Early Cretaceous ammonite species described by H. Coquand (1880). *Cretaceous Research* 32, 187-193.

Villaseñor, A.B., Olóriz, F. & González-Arreola, C. (2011). Lower Tithonian microconchiate simoceratins from eastern Mexico, taxonomy, biostratigraphy and paleobiogeography. *Acta Paleontológica Polonica* 56, 1, 133-158.

2012

Coimbra, R. & Olóriz, F. (2012a). Pixel counting for percentage estimation, applications to sedimentary petrology. *Computers & Geosciences* 42, 212-216.

Coimbra, R. & Olóriz, F. (2012b). Contrast comparison of differential diagenetic pathways of Lower Tithonian carbonate materials from the Betic Cordillera (S Spain), Evidence for physico-chemical paleo-seawater properties. *Palaeogeography, Palaeoclimatology, Palaeoecology* 321-322, 65-79.

Coimbra, R. & Olóriz, F. (2012c). Sediment provenance on an epiocenic swell - geochemical evidences (Upper Jurassic, Majorca Island). *Terra Nova* 24, 437-445.

Kedzierski, M., Machaniec, E., Rodríguez-Tovar, F.J. & Uchman, A. (2012). Bio- events, foraminifera & nannofossil biostratigraphy of the Cenomanian-Turonian boundary interval in the Subsilesian Nappe, Rybie section, Polish Carpathians. *Cretaceous Research* 35, 181-198.

Martinez, M., Pellenard, P., Deconinck, J.F., Monna, F., Riquier, L., Boulila, S., Moiroud, M. & Company, M. (2012). An orbital forcing of the Hauterivian/Barremian GSSP from a magnetic susceptibility signal (Río Argos, Spain). *Cretaceous Research* 36, 106-115.

Moiroud, M., Martinez, M., Deconinck, J.F., Monna, F., Pellenard, P., Riquier, L. & Company, M. (2012). High-resolution clay mineralogy as a proxy for orbital tuning, Example of the Hauterivian-Barremian transition in the Betic Cordillera (SE Spain). *Sedimentary Geology* 282, 336-346.

Monaco, P., Rodríguez-Tovar, F.J. & Uchman, A. (2012). Ichnological analysis of lateral environmental heterogeneity within the Bonarelli Level (uppermost Cenomanian) in the classical localities near Gubbio, Central Apennines, Italy. *Palaios* 27, 48-54.

Moreno-Bedmar, J.A., Company, M., Sandoval, J., Tavera, J.M., Bover-Arnal, T., Salas, R., Delanoy, G., Maurrasse, F.J.M.R. & Martínez, R. (2012). Lower Aptian ammonite and carbon isotope stratigraphy in the eastern Prebetic Domain (Betic Cordillera, southeastern Spain). *Geologica Acta* 10, 333-350.

Olóriz, F., Reolid, M. & Rodríguez Tovar, F.J. (2012) .Palaeogeography and relative sea-level history forcing eco-sedimentary contexts in late jurassic epicontinental shelves (prebetic zone, betic cordillera), an ecostratigraphic approach . *Earth Science Reviews* 111, 154-178.

Pardo-Igúzquiza, E. & Rodríguez-Tovar, F.J. (2012). Spectral & cross-spectral analysis of uneven time series with the smoothed Lomb-Scargle periodogram & Monte Carlo evaluation of statistical significance. *Computer & Geosciences* 49, 207-216.

Reolid, M., Rodríguez-Tovar, F.J. & Nagy, J. (2012). Ecological replacement of Valanginian agglutinated foraminifera during a maximum flooding event in the Boreal Realm (Spitsbergen). *Cretaceous Research* 33, 196-204.

Reolid, M., Sebane, A., Rodríguez-Tovar, F.J. & Marok, A. (2012). Foraminiferal morphogroups as a tool to approach the Toarcian Anoxic Event in the western Saharan Atlas (Algeria) *Palaeogeography, Palaeoclimatology, Palaeoecology* 323-325, 87-99.

Rodríguez-Tovar, F.J., Buatois, L., Piñuela, L., Mángano, M.G. & García-Ramos, J.C. (2012). Palaeoenvironmental & functional interpretation of *Rhizocorallium jenense spinosus* (ichnosubsp. nov.) from the lower Jurassic of Asturias, northern Spain. *Palaeogeography, Palaeoclimatology, Palaeoecology* 339-341, 114-120.

Villaseñor, A.B., Olóriz, F., López-Palomino, R. I. & López-Caballero, I. (2012). Updated Ammonite Biostratigraphy from Upper Jurassic Deposits in Mexico. *Revue de Paleobiologie* Vol. Spec. 11, 249-267.

2013

Hodell, D.A. & Rodríguez-Tovar, F.J. (2013). The “Shackleton Site” (IODP Site U1385) on the Iberian Margin. *Scientific Drilling*, 16, 13-19.

Moreno-Bedmar, J.A., Barragán, R., Company, M. & Bulot, L.G. (2013). Aptian (lower Cretaceous) ammonite biostratigraphy of the Francisco Zarco Dam stratigraphic section (Durango State, northeast Mexico). *Journal of South American Earth Sciences* 42, 150- 158.

Pandey, D.K., Alberti, M., Fürsich, F.T., Glowniak, E. & F. Olóriz (2013). Ammonites from the Oxfordian-Kimmeridgian boundary and the Lower-Upper Kimmeridgian in Kachchh, western India. *Volumina Jurassica* XI, 97-146.

Pardo-Igúzquiza, E. & Rodríguez-Tovar, F.J. (2013). Análisis espectral de series temporales de variables geológicas con muestreo irregular. *Boletín Geológico y Minero* 124, 2 (Special Issue), 323-337.

Pardo-Igúzquiza, E., Lebreiro, S.M. & Rodríguez-Tovar, F.J. (Eds.) (2013). Cyclicity in the geological record. *Boletín Geológico y Minero* 124, 2 (Special Issue), 343 pp.

Reolid, M., Rodríguez-Tovar, F.J., Marok, A. & Sebane, A. (2013). Evolution of the T- OAE in the North African Paleomargin (Western Saharan Atlas, Algeria), role of anoxia & productivity. *Bulletin of Geosciences* 88(4), 697-712.

Rodríguez-Tovar, F.J. (2013a). Trace fossils as indicators of sedimentary environments. *Palaeontologia Electronica* 16; palaeo-electronica.org/content/2013/480-review-trace-fossils.

Rodríguez-Tovar, F.J. (2013b). Ichnology, Organism-substrate interactions in space & time. *Boletín Geológico y Minero* 124, 1, 126-127.

Rodríguez-Tovar, F.J. (2013c). The fossil record as a tool in cyclostratigraph, the incidence of Milankovitch-scale palaeoenvironmental changes on palaeocommunities. *Boletín Geológico y Minero* 124, 2 (Special Issue), 151-167.

Rodríguez-Tovar, F.J. & Nieto, L.M. (2013). Composite trace fossil assemblage in a distal carbonate setting from the Tethys (Middle Jurassic, Betic Cordillera, Southern Spain). *Ichnos* 20, 43-53.

Rodríguez-Tovar, F.J. & Pérez-Valera, F. (2013). Variations in population structure of *Diplocraterion parallelum*, hydrodynamic influence, food availability, or nursery settlement? *Palaeogeography, Palaeoclimatology, Palaeoecology* 369, 501-509.

Rodríguez-Tovar, F.J. & Reolid, M. (2013). Environmental conditions during the Toarcian Oceanic Anoxic Event (T-OAE) in the westernmost Tethys, influence of the regional context on a global phenomenon. *Bulletin of Geosciences* 88(4), 697-712.

Rodríguez-Tovar, F.J., Sánchez-Almazo, I., Pardo-Igúzquiza, E., Braga, J.C. & Martín, J.M. (2013). Incidence of obliquity & precession-forced Milankovitch cycles in the western Mediterranean, Early Messinian sedimentation in the Sorbas Basin (Almería, southern Spain). *International Journal of Earth Sciences* 102, 1735-1755.

Rodríguez-Tovar, F.J., Uchman, A., Orue-Etxebarria, X. & Apellaniz, E. (2013). Palaeoenvironmental changes during the Danian-Selian boundary interval, The ichnological record at the Sopelana section (Basque Basin, W Pyrenees). *Sedimentary Geology* 284-285, 106-116.

Sosa-Montes De Oca, C., Martínez-Ruiz, F. & Rodríguez-Tovar, F.J. (2013). Bottom-water conditions in a marine basin after the Cretaceous–Paleogene impact event, Timing the recovery of oxygen levels & productivity. *PLoS ONE* 8(12), e82242. doi,10.1371/journal.pone.0082242.

Uchman, A., Rodríguez-Tovar, F.J., Machanec, E. & Kedzierski, M. (2013a). Ichnological characteristics of Late Cretaceous hemipelagic & pelagic sediments in a submarine high around the OAE-2 event, A case from the Rybie section, Polish Carpathians. *Palaeogeography, Palaeoclimatology, Palaeoecology* 370, 222-231.

Uchman, A., Rodríguez-Tovar, F.J. & Oszczytko, N. (2013b). Exceptionally favourable life conditions for macrobenthos during the Late Cenomanian OAE-2 event, Ichnological record from the Bonarelli Level in the Grajcarek Unit, Polish Carpathians. *Cretaceous Research* 46, 1-10.

2014

Aguado, R., Company, M., O'Dogherty, L., Sandoval, J. & Tavera, J.M. (2014). Late Hauterivian-early Barremian calcareous nannofossil biostratigraphy, palaeoceanography, and stable isotope record in the Subbetic domain (southern Spain). *Cretaceous Research* 49, 105-124.

Coimbra, R., Immenhauser, A. & Olóriz, F. (2014). Spatial geochemistry of Upper Jurassic marine carbonates (Iberian Subplate). *Earth Science Reviews* 139, 1-32.

Coimbra, R., Immenhauser, A., Olóriz, F., Rodríguez-Galiano, V. & Chica-Olmo, M. (2014). New insights into geochemical behaviour in ancient marine carbonates (Upper Jurassic Ammonitico Rosso): novel proxies for interpreting sea-level dynamics and palaeoceanography. *Sedimentology* 62, 1, 266-302.

Company, M., Aguado, R., Castro, J.M., Gea, G.A. de, Molina, J.M., Nieto, L.M. & Ruiz-Ortiz, P.A. (2014). Estratigrafía y quimioestratigrafía del Valanginiense (pro parte) de Loma Solana, Sierra de Quípar (Subbético Externo, Cehegín, Murcia). *Geogaceta* 56, 55-58.

Dorador, J. & Rodríguez-Tovar, F.J. (2014). A novel application of digital image treatment by quantitative pixel analysis to trace fossil research in marine cores. *Palaios* 29(10), 533-538.

Dorador, J. & Rodríguez-Tovar, F.J., IODP Expedition 339 Scientists. (2014). Digital image treatment applied to ichnological analysis of marine core sediments. *Facies* 60, 39-44. DOI, 10.1007/s10347-013-0383-z

Dorador, J. & Rodríguez-Tovar, F.J., IODP Expedition 339 Scientists. (2014). Quantitative estimation of bioturbation based on digital image analysis. *Marine Geology* 349, 55-60. DOI, 10.1016/j.margeo.2014.01.003

García, R., Moreno-Bedmar, J.A., Bover-Arnal, T., Company, M., Salas, R., Latil, J.L., Martín-Martín, J.D., Gómez-Rivas, E., Bulot, L.G., Delanoy, G., Martínez, R. & Grauges, A. (2014). Lower Cretaceous (Hauterivian-Albian) ammonite biostratigraphy in the Maestrat Basin (E Spain). *Journal of Iberian Geology* 40, 99-112.

García-Ramos, J.C., Mángano, M.G., Piñuela, L., Buatois, L.A. & Rodríguez-Tovar, F.J. (2014). The ichnogenus *Tubotomaculum*, An enigmatic pellet-filled structure from Upper Cretaceous to Miocene deep-marine deposits of southern Spain. *Journal of Paleontology* 88(6), 1189-1198.

Gea, G.A. de, Arias, C., Vilas, L., Castro, J.M., Company, M., Quijano, M.L. & García-Zafra, S. (2014). El Valanginiense superior de la sección de Oliva (Zona Prebética, Valencia), análisis de facies, bioestratigrafía, isótopos de carbono y geoquímica orgánica. *Geogaceta* 56, 51-54.

Izumi, K., Rodríguez-Tovar, F.J., Piñuela, L. & García-Ramos, J.C. (2014). Substrate-independent feeding mode of the ichnogenus *Phymatoderma* from the Lower Jurassic shelf-sea deposits of central & western Europe. *Sedimentary Geology* 312, 19-30.

Jiménez-Espejo, F.J., García-Alix, A., Jiménez-Moreno, G., Rodrigo-Gámiz, M., Person, R.S., Rodríguez-Tovar, F.J., Martínez-Ruiz, F., Giral, S., Delgado Huertas, A. & Pardo-Igúzquiza, E. (2014). Saharan aeolian input & effective humidity variations over western Europe during the Holocene from a high altitude record. *Chemical Geology* 374-375, 1-12.

Moreno-Bedmar, J.A., Barragán, R., Delanoy, G., Company, M. & Salas, R. (2014). Review of the early Aptian (Early Cretaceous) ammonoid species *Deshayesites deshayesi* (d'Orbigny, 1841). *Cretaceous Research* 51, 341-360.

Nieto, L.M., Rodríguez-Tovar, F.J., Molina, J.M., Reolid, M. & Ruiz-Ortiz, P.A. (2014). Unconformity surfaces in pelagic carbonate environments, A case from the Middle Bathonian of the Betic Cordillera, SE Spain. *Annales Societatis Geologorum Poloniae* 84(3), 281-295.

Núñez-Useche, F., Moreno-Bedmar, J.A., Company, M. & Barragán, R. (2014). A negative carbon isotope excursion within the *Dufrenoyia furcata* Zone, proposal for a new episode for chemostratigraphic correlation in the Aptian. *Carnets de Géologie/Notebooks on Geology* 14, 129-137.

Reboulet, S., Szives, O., Aguirre-Urreta, M.B., Barragán, R., Company, M., Idakieva V., Ivanov, M., Kakabadze, M.V., Moreno-Bedmar, J.A., Sandoval, J., Baraboshkin, E.J., Çağlar, M.K., Főzy, I., González-Arreola, C., Kenjo, S., Lukeneder, A.,

Raisossadat, S.N., Rawson, P.F. & Tavera, J.M. (2014). Report on the 5th International Meeting of the IUGS Lower Cretaceous Ammonite Working Group, the Kilian Group (Ankara, Turkey, 31st August 2013). *Cretaceous Research* 50, 126-137.

Reolid, M., Mattioli, E., Nieto, L.M. & Rodríguez-Tovar, F.J. (2014). The Early Toarcian Oceanic Anoxic Event in the External Subbetic (Southinarian Palaeomargin, Westernmost Tethys), geochemistry, nanofossils & ichnology. *Palaeogeography, Palaeoclimatology, Palaeoecology* 411, 79-94.

Rodrigo-Gámiz, M., Martínez-Ruiz, F., Rodríguez-Tovar, F.J., Jiménez-Espejo, F.J. & Pardo-Igúzquiza, E. (2014). Millennial- to centennial-scale climate periodicities & forcing mechanisms in the westernmost Mediterranean for the past 20,000 yr. *Quaternary Research* 81, 78-93.

Rodríguez-Tovar, F.J. (2014). Orbital climate cycles in the fossil record, From semidiurnal to million-year biotic responses, *Annual Review of Earth & Planetary Sciences* 69-102.

Rodríguez-Tovar, F.J. & Dorador, J. (2014). Ichnological analysis of Pleistocene sediments from the IODP Site U1385 "Shackleton Site" on the Iberian Margin, Approaching palaeoenvironmental conditions. *Palaeogeography, Palaeoclimatology, Palaeoecology* 409, 24-32.

Rodríguez-Tovar, F.J. & Martín-Peinado, F.J. (2014). Lateral & vertical variations in contaminated sediments from the Tinto River area (Huelva, SW Spain), Incidence on tracemaker activity & implications of the palaeontological approach. *Palaeogeography, Palaeoclimatology, Palaeoecology* 414, 426-437.

Rodríguez-Tovar, F.J., Mayoral, E. & Santos, A. (2014). Influence of physicochemical parameters on burrowing activities of the fiddler crab *uca tangeri* at the huelva coast (Southwest Spain), Palaeoichnological implications. *Ichnos* 21(3), 147-157.

Rodríguez-Tovar, F.J., Nagy, J. & Reolid, M. (2014). Palaeoenvironmental conditions during Eocene prodelta shelf development at Spitsbergen, the record of *Physosiphonincertum*. *Polar Research* 33, 237-86.

Rodríguez-Tovar, F.J., Stachacz, M., Uchman, A. & Reolid, M. (2014). Lower/middle Ordovician (Arenigian) shallow-marine trace fossils of the Pochico Formation, southern Spain, Palaeoenvironmental & palaeogeographic implications at the Gondwanan & peri-Gondwanan realm. *Journal of Iberian Geology* 40(3), 539-555.

Seike, K., Rodríguez-Tovar, F.J. & Curran, A.H. (2014). Characteristics, distribution patterns, & implications for ichnology of modern burrows of *Uca* (leptuca) *speciosa*, San Salvador Isl&, Bahamas. *Journal of Crustacean Biology* 34(5), 565-572.

2015

Alegret, L., Rodríguez-Tovar, F.J. & Uchman, A. (2015). How bioturbation obscured the Cretaceous-Palaeogene boundary record. *Terra Nova* 27, 225-230.

Company, M. & Tavera, J.M. (2015). Lower Valanginian ammonite biostratigraphy in the Subbetic Domain (Betic Cordillera, southeastern Spain). *Carnets de Géologie/Notebooks on Geology* 15, 71-88.

Hodell, D. & Rodríguez-Tovar, F.J. (2015). A reference time scale for Site U1385 (Shackleton Site) on the SW Iberian Margin. *Global & Planetary Change* 133, 49-64.

Martinez, M., Deconinck, J.F., Pellenard, P., Riquier, L., Company, M., Reboulet, S. & Moitoud, M. (2015). Astrochronology of the Valanginian-Hauterivian stages (Early Cretaceous), Chronological relationships between the Paraná-Etendeka large igneous province and the Weissert and the Faraoni events. *Global and Planetary Change* 131, 158-173.

Moliner, L., Olóriz, F. & Villaseñor, A.B. (2015). *Ataxioceras lopezitichae* Cantú-Chapa 1991 - Systematic and palaeobiogeographical reinterpretation. *Palaeontologia electronica* [in litt.]

Moliner, L., Olóriz, F., & Villaseñor, A.B. (2015). A population level analysis of Lower Kimmeridgian ataxioceratins from Mexico. *31 Jornadas de Paleontológicas de la Sociedad Española de Paleontológica*. M. Reolid, (ed.) Baeza, 207-209.

Monaco, P., Rodríguez-Tovar, F.J. & Uchman, A. (2015). A delayed response of the trace fossil community at the Cretaceous-Paleogene boundary in the Bottaccione section, Gubbio, Central Italy. *Geobios* 48, 137-145.

Pardo-Igúzquiza, E. & Rodríguez-Tovar, F.J. (2015). Comparison of the performance of two advanced spectral methods for the analysis of time series in paleoceanography. *Journal of Marine Science & Engineering* 3, 957-967.

Rodríguez-Tovar, F.J. & Dorador, J. (2015). Ichnofabric characterization in cores, A method of digital image treatment. *Annales Societatis Geologorum Poloniae* 85, 465- 471.

Rodríguez-Tovar, F.J., Dorador, J., Martín-García, G.M., Sierro, F.J., Flores, J.A. & Hodell, D.A. (2015). Response of macrobenthic & foraminifer communities to changes in deep-sea environmental conditions from Marine Isotope Stage (MIS) 12 to 11 at the “Shackleton Site”. *Global & Planetary Change* 133, 176-187.

Rodríguez-Tovar, F.J., Uchman, A. & Puga-Bernabéu, A. (2015). Borings in gneiss boulders in the Miocene (Upper Tortonian) of the Sorbas Basin, SE Spain. *Geological Magazine* 152(2), 287-297

Stachacz, M., Rodríguez-Tovar, F.J., Uchman, A. & Reolid, M. (2015). Deep endichnialCruziana from the Lower-Middle Ordovician of Spain – A unique trace fossil record of trilobitomorph deep burrowing behavior. *Ichnos* 22, 12-18.

Vašíček, Z., Company, M. & Měchová, L. (2015). Lamellaptychi from the Lower Cretaceous of south-east Spain (Murcia and Jaén provinces). *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen* 276, 335-351.

Villaseñor, A.B., Olóriz, F. & Moliner, L. (2015). *Schneidia zacatense* n.sp. - First population level study of Ataxioceratinae from the Lower Kimmeridgian in northern Mexico. Biostratigraphic and palaeobiogeographic significance. *Journal of South American Earth Sciences* 63, p. 217-243.